

Engine

Emissions Tier (EPA)	Tier 4
Engine Cooling	Liquid
Engine Fuel	Diesel
Horsepower	55.2 kW
Turbocharged Engine	×

Performance

Rated Operating Capacity (ISO)	1315 kg
Operating Capacity (50% of Tip)	1879 kg
Tipping Load	3758 kg
Operating Weight	4649 kg
Travel Speed	10.9 km/ h
Travel Speed (2- speed option)	14.8 km/ h
Ground Pressure (Rubber)	0.43 bar

Capacities

Fuel Tank	120 l
-----------	-------

Hydraulic System

System Relief @ Quick Couplers	237.87 bar
Auxiliary Std Flow	88.2 l/ min
Auxiliary High Flow	114.7 l/ min

Dimension

Length	3737 mm
Length without Attachment	2894 mm
Length with Standard Bucket	3737 mm
Width	1851 mm
Width (with bucket)	1880 mm
Height	2078 mm
Height with Operator Cab	2078 mm
Height to Bucket Hinge Pin	3259 mm
Reach @ Maximum Height	1014 mm
Turning Radius	2268 mm
Length of track on ground	1505 mm
Track Width	320 mm
Track Width - Optional	450 mm

Features

Joystick Control	■
Air Conditioning	×
Backup Alarm	■
BICS System (Interlock)	■
Cab Heater	×
Operating Lights	■
Suspension Seat	■
Two Speed Travel	×
Deluxe Instrumentation	×
Engine Shutdown	□
Hydraulic Bucket Positioning	×
High Flow Option	×
Auxiliary Hydraulics	■
Bob- Tach Attachment System *	■
Power Bob- Tach *	×

ACS (Switchable Controls)	<input type="checkbox"/>
Ride Control	×
Horn	■

Compatible Attachments

Utility Fork - Loaders and Toolcat	
Utility Fork, 10 Teeth - 72"	■
Utility Fork, 11 Teeth - 80"	■
Grapple, Utility - Loaders and Toolcat	
Grapple, Utility - 55"	■
Planer	
Planer, High Flow - 18"	■
Planer, High Flow - 24"	■
Planer, Standard Flow - 14"	■
Grapple, Industrial	
Grapple, Industrial Bucket - 74"	■
Grapple, Industrial Bucket - 80"	■
Grapple, Industrial Fork - 78"	■
Pallet Fork	
2.5K Standard Duty Pallet Fork Frame	■
4K Heavy Duty Pallet Fork Frame	■
5.5K Severe Duty Pallet Fork Frame	■
Pallet Fork, Hydraulic - 48"	■
Angle Broom	
Angle Broom - 84"	■
Grapple, Root	
Grapple, Root - 72"	■
Grapple, Root - 82"	■
Auger	
Auger - 15C	■
Auger - 30C	■
Auger - 30H	■
Auger - 35PH	■
Auger - 50PH	■
Auger Drive Unit - 15H	■
Bucket, Combination - Loaders/ Telehandlers	
Combination Bucket - 74"	■
Combination Bucket - 80"	■
Combination Bucket - 84"	■
Bucket, Rock - Loaders	
Bucket, Rock - 74"	■
Bucket, Rock - 82"	■
Box Blade	
Box Blade	■
Box Blade, Laser Mounting	■
HD Box Blade	■
Brush Saw	
Brush Saw	■
Brushcat Rotary Cutter	
Brushcat, HF - 72"	■
Brushcat, HF - 80"	■
Brushcat, Std Flow - 72"	■
Bucket, Heavy-Duty	
74" Heavy Duty Bucket	■
80" Heavy Duty Bucket	■

Bucket, Standard- Duty		
74" Standard Duty Bucket		■
Bucket, Light Material		
74" Light Material Bucket		■
80" Light Material Bucket		■
86" Light Material Bucket		■
Bucket, Severe- Duty		
74" Severe Duty Bucket		■
80" Severe Duty Bucket		■
Chipper		
Chipper, 8B High Flow		■
Concrete Mixer		
Concrete Mixer		■
Concrete Pump		
Concrete Pump		■
Dozer Blade		
Dozer Blade, 6- Way - 80"		■
Dozer Blade, 6- Way - 90"		■
Dozer Blade, 6- Way - 96"		■
Dumping Hopper		
Dumping Hopper, Model 25		■
Drop Hammer		
Drop Hammer		■
Flail Cutter		
Flail Cutter, FC200		■
Grader		
Grader - 96"		■
Breaker		
Breaker, Nail Point - HB1180		■
Breaker, Nail Point - HB980		■
Landplane		
Landplane, Deluxe - 72"		■
Landplane, Deluxe - 78"		■
Landscape Rake		
Rake, Landscape - 6B		■
Mower		
Mower - 72"		■
Mower - 90"		■
Nitrogen Breaker		
MI Breaker NB160		■
Packer Wheel		
Packer Wheel		■
Rear Stabilizer		
Quick- Tach Rear Stabilizer Kit		■
Scarifier		
Scarifier, Front Mount		■
Scraper		
Scraper		■
Seeder 3pt Implement		
Seeder - 72"		■
Silt Fence Installer 3pt Implement		
Silt Fence Installer		■
Snow Pusher		
Snow Pusher - 10'		■
Snow Pusher - 8'		■
Snow Pusher Pro - 10'		■

Snow Pusher Pro - 8'		■
Snow Pusher Pro - 9'		■
Snow Blade		
Snow Blade, Heavy Duty - 108"		■
Snow Blade, Heavy Duty - 86"		■
Snow Blade, Heavy Duty - 96"		■
Snow V- Blade		
Snow V- Blade - 108"		■
Snow V- Blade - 84"		■
Snow V- Blade - 96"		■
Snowblower		
Snowblower, SB200 - 72"		■
Snowblower, SB200 - 78"		■
Snowblower, SB240 - 72"		■
Snowblower, SB240 - 84"		■
Sod Layer		
Sod Layer		■
Soil Conditioner		
Soil Conditioner, High Flow - 72"		■
Soil Conditioner, High Flow - 84"		■
Soil Conditioner, Hydraulic - 72"		■
Soil Conditioner, Hydraulic - 84"		■
Soil Conditioner, Manual - 72"		■
Spreader		
HS8 Spreader		■
Stump Grinder		
Stump Grinder, SG 60		■
Stump Grinder, SGX 60		■
Sweeper		
Sweeper - 72"		■
Sweeper - 84"		■
Tiller		
Rotary Tiller - 76"		■
Tree Spade		
Tree Spade, Convertible Cone - 32"		■
Tree Spade, Convertible Cone - 36"		■
Tree Spade, Convertible Cone - 44"		■
Tree Spade, Convertible Modified - 32"		■
Tree Spade, Convertible Modified - 36"		■
Tree Spade, Convertible Modified - 44"		■
Trench Compactor		
Trench Compactor		■
Trencher		
LT313 (4ft)		■
LT414 (5ft)		■
Trencher, LT313		■
Trencher, LT405		■
Trencher, LT414		■
Vibratory Roller		
Vibratory Roller, Padded Drum - 73"		■
Vibratory Roller, Smooth Drum - 73"		■
Vibratory Roller, Smooth Drum - 80"		■
Water Kit		
Water Kit, Quick- Tach		■
Wheel Saw		
Wheel Saw - WS18		■
Wheel Saw - WS24		■



Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.