



Engine

Emissions Tier (EPA)	Tier 4
Engine Cooling	Liquid
Engine Fuel	Diesel
Horsepower	74.6 kW
Turbocharged Engine	x
Engine Model	3.4L Bobcat Engine
Engine Make	Bobcat
Cooling System	13.6
Gross HP	74.6 kW
Net HP	65.6 kW
Number of Cylinders	4
Displacement	3,409 cm ³
Torque (SAE NET)	349.94 N·m
Torque RPM	1,600 rpm
Starter Horsepower	3 kW

Performance

Rated Operating Capacity (SAE)	1792 kg
Tipping Load	3583 kg
Operating Weight	4643 kg
Travel Speed	11.4 km/ h
Travel Speed (2- speed option)	19.8 km/ h
Bucket Breakout Force	43,085 N
Lift Breakout Force (SAE)	33,473 N

Capacities

Fuel Tank	111.7
Engine Oil with Filter	12.6
Hydraulic Reservoir	9.5
Hyd System Capacity	45.4
Transmission (Final Drive)	45.4 I

Hydraulic System

System Relief @ Quick Couplers	241.32 bar
Auxiliary Std Flow	87.1 l/ min
Auxiliary High Flow	138.5 I/ min
Pump Capacity	87.1 l/ min
Raise Lift Arm	5.9 s
Lower Lift Arm	4 s
Bucket Dump	2.9 s
Bucket Rollback	2.3 s

General

Contract Codes	Skid- Steer Loader
First Year of Production	2016

Controls

Vehicle Steering	Dual Levers
Hydraulic (Lift and Tilt)	Dual Pedals
Control Option	Selectable Joystick Controls
Auxiliary Hydraulics Type	Fingertip Controls

Dimension

Length	3752 mm
Length without Attachment	3030 mm

31/08/2018 Page 1



Length with Standard Bucket	3752 mm
Width	2007 mm
Width (with bucket)	2032 mm
Height	2118 mm
Height with Operator Cab	2118 mm
Height to Bucket Hinge Pin	3658 mm
Reach @ Maximum Height	754 mm
Turning Radius	2261 mm
Wheelbase	1344 mm
ROC with Counterweight Option	1928 kg
Dump Angle @ Maximum Height	37°
Ground Clearance	239 mm

Features

Joystick Control	×
Air Conditioning	×
Adjustable Seat	
Backup Alarm	•
BICS System (Interlock)	
Cab Enclosure	×
Sound Option	×
Cab Heater	×
Operating Lights	
Parking Brake	
Radio	×
Rear Window	
Top Window	
Lift- Arm Support	
Seat Belt	
Suspension Seat	
Two Speed Travel	
Deluxe Instrumentation	×
Engine Shutdown	
Hydraulic Bucket Positioning	×
High Flow Option	×
Auxiliary Hydraulics	•
Spark Arrestor Muffler	
Bob- Tach Attachment System *	•
Power Bob- Tach *	×
ACS (Switchable Controls)	
Ride Control	×
Rear Hydraulics	×
Horn	

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

31/08/2018 Page 2