



Bobcat®

**Attachments for Toolcat™
Utility Work Machines**



One Tough Animal™

ATTACHMENTS

We have an
ATTACHMENT
FOR THAT™

Bobcat® attachments maximize your production with performance matched to your machine – and quality that handles the rigors of the job every time. The superior design, solid construction and state-of-the-art manufacturing of Bobcat attachments ensures your attachment is ready to take on tough

jobs for years. Bobcat designs and builds its own attachments... more than any other manufacturer. Your Bobcat dealer is always nearby for a sale, a rental or to provide industry-leading support. To back it all up, every serial-numbered attachment is backed by a 12-month warranty.





Angle Broom (5600 & 5610)

Sweep a clean path economically.

Put your Toolcat machine to work and clean up almost everything in sight with the 68- or 84-inch hydraulically driven angle broom attachment. Use it to sweep driveways, sidewalks, parking lots, loading docks, warehouses and more. Hydraulic angle on 68- and 84-inch models allows operator to change angle with fingertip controls. Excellent tool for clearing light snowfalls.

**Requires 7-pin attachment control kit.*



Box Blade (5600 & 5610)

Makes flatwork and grading easy and accurate.

The box blade is designed for rough grading and landscaping. End wings help carry spoil. Features elevation control, which allows the box blade to travel up and down slopes while still delivering accurate results. It has a grading width of 84 inches.

**Requires 7-pin attachment control kit.*



Bucket, Combination (5600 & 5610)

Perform a wide variety of jobs with one attachment.

The versatile Bobcat combination bucket is ideal for dozing, grappling, leveling, digging, loading and dumping. It's built with heavy-duty, replaceable cutting edges and hydraulic cylinders for long life on construction, demolition, landscaping and municipal jobs.



Auger (5600 & 5610)

Dig 6- to 36-inch holes with speed and plumb-line accuracy.


The heavy-duty hydraulic auger bites in with high torque power. Because of its unique knuckle-joint design, the auger will hang plumb even on uneven terrain. Four models to choose from. With standard and high flow available.



Brushcat™ Rotary Cutter (5600 & 5610)

Clear brush and undergrowth as you've never done before.

The powerful cutting and mulching action of the dual-blade Brushcat rotary cutter clears a wide path as it cuts three-inch diameter branches and saplings as well as the thickest grass and brush. Available in a 60-inch cutting width with standard and high-flow available.



Bucket, Rock

Remove unwanted rocks from fields and landscapes.

Skeletal design keeps the rocks and lets the dirt fall through. Available in 62- and 68-inch sizes.



Bale Fork (5600 & 5610)

Stabilizes the load and prevents bale rotation when handling round, uneven or square bales.

The two small-diameter tines are also effective in transporting large round or square bales and provide improved penetration in densely compacted material.



Buckets (5600 & 5610)

When it comes to moving material, you can't beat a Bobcat bucket.

Choose from the widest variety in the industry, including general purpose buckets and snow/light material buckets. Bolt-on teeth and cutting edges available for most models.



Chipper (5600 & 5610)

Grind branches and tree limbs. Reduce branch volume 10 to 1.

Unlike pull-type models, the chipper can easily be placed into back yards and remote areas with the maneuverability of a Toolcat work machine. Standard and high-flow chippers available.

**Requires 7-pin attachment control kit.*



Dozer Blade (5600 & 5610)

The dozer blade turns your loader into a mini-crawler.

The 80-inch dozer blade features a 6-way adjustable blade with electric-over-hydraulic controls for on-the-fly adjustments. Includes a reversible 3-piece cutting edge.

**Requires 7-pin attachment control kit.*



Flail Cutter (5600 & 5610)

Clear brush and small trees up to 3 inches in diameter.

The ideal attachment for use on lakefront property, construction sites, power line and road right-of-ways, trails and other areas needing brush and thick grass removal. Floating linkage lets the unit follow the contours of the land for effective cutting. Flail cutter works on machines with 17-37 gallons per minute.



Grader (5600 & 5610)

Turn your Toolcat utility work machine into an accurate grading machine.

Features a six-way hydraulically controlled moldboard and a front bolster that oscillates 25 degrees to the right or left, allowing for grading on any surface while minimizing the effect of uneven ground. Because each side of the grader blade adjusts independently, you can drive up, down or across a slope. Available with 84-inch moldboard.

**Requires 7-pin attachment control kit.*



Grapple, Farm Fork/Utility (5600 & 5610)

Great on the farm or ranch.

The Bobcat utility grapple is ideal for handling bundled material, loose straw and manure. Use the fork separately or with a grapple. Grapple also fits many Bobcat buckets.



Grapple, Industrial (5600 & 5610)

Grapple bucket or grapple fork.

They allow easy handling of a variety of hard-to-manage materials in the industrial setting or construction site. They're built tough for reliability and long life!



Landplane (5600 & 5610)

Remove large clods and rocks as you level and grade, going forward or backward.

The landplane breaks up hard ground and sorts unwanted debris from the soil. It can also be used like a bucket to transport material on site. Available in a 72-inch width.



Landscape Rake (5600 & 5610)

Soil preparation for seeding, sodding, smoothing and finishing.

Break up lumpy soil and pick up rocks as small as 1/2 inch. Use the landscape rake for ground preparation for seeding, sodding and lawn leveling. One-pass coverage.



Mower (5600 & 5610)

Mow down the rough stuff!

The mower is recommended for applications such as road ditch right-of-ways, golf course roughs and large acreage mowing. It is especially appealing to golf courses, landscape contractors, nurseries, hobby farms, municipalities and large-lot rural homeowners. Available in 72- and 90-inch widths in rear-discharge, side-discharge or mulching configurations.



Pallet Fork (5600 & 5610)

Move bulky, bagged or palletized material with ease.

The pallet fork attachment is ideal for all kinds of farm chores, including fertilizer handling, as well as applications in industrial plants, landscaping and construction sites where bales, bags and pallets have to be moved. Two models with hydraulically adjustable forks are also available.



Push Broom (5600 & 5610)

20 to 30 times faster than hand sweeping.

This economical, handy attachment sweeps dirt, leaves, light snow, material spills and more. Sweep material, wet or dry, forward or backward – even along curbs and in other tight areas. The 72- and 90-inch push brooms attach to dirt and general purpose buckets.



Seeder (5600 & 5610)

Accurate seed placement and adjustable metering.

Unlike broadcast seeders, the Bobcat seeder places the seed with the proper spacing and at precisely the right depth for better germination. With a production rate of more than two acres per hour, the seeder is efficient and cost-effective. Seeder mounts to 3-point hitch or Bob-Tach®.



Snow V-Blade (5600 & 5610)

Scoop, clear, pile and push snow.

Bobcat snow v-blades have far more versatility than a standard snow blade or snow bucket. With five different blade configurations, the hydraulically operated v-blade gives operators a choice of ways to move snow fast. Blades available from 5 to 8 feet.

**Requires 7-pin attachment control kit.*



Rebar Bender

Hydraulically bend up to a #6, grade 60 rebar.

Four mandrels and an adjustable worktable allow for a variety of bend angles up to 200 degrees. A Remote Attachment Control (RAC) panel provides safe operation of the rebar bender from outside the cab, and also allows operators to remotely start and stop an idled loader Toolcat utility work machine. An optional mandrel is available for bending #7, grade 60 rebar. An optional bend stop kit eliminates the need to measure the rebar for fast, repeatable bends under 30 inches from the end.



Snow Blades (5600 & 5610)

Push snow aside before it's compacted.

Here's the ideal attachment for cleaning sidewalks, driveways, parking lots, alleys, service stations and warehouse lots. An optional end-wing kit turns some models into snow pushers. Trip moldboard or trip edge available. Blades available from 6 to 8 feet.



Snowblower (5600 & 5610)

The perfect winter clean up tool.

Blow snow off driveways and sidewalks or in those tight quarters where only a Toolcat machine can fit. Rotational spout directs snow where you want it to go. High-flow models are available for Toolcat machines with high-flow option package.

**Some models require a 7-pin attachment control kit.*



Scraper (5600 & 5610)

Cleans packed-on mud, snow and ice.

The Bobcat scraper is the perfect tool to remove stubborn, packed-on materials such as mud, snow and ice from driveways, sidewalks, parking lots and bike paths.



Snow Pusher (5600 & 5610)

Clear snow quickly on even or uneven surfaces.

The free-floating blade permits efficient snow removal on uneven surfaces; protects surfaces such as paving stones, decorative concrete and sloped sidewalks. Beats the competition for durability and smooth operation. Available in an 8-foot width.



Sod Layer (5600 & 5610)

Carry and lay a roll of sod up to four feet wide.

Lay sod in a fraction of the time with a fraction of the crew compared to laying by hand. Exclusive lock and pin system automatically prevents unrolling during transport.



Soil Conditioner (5600 & 5610)

A versatile landscaping tool.

Use it to separate rocks and debris, grade, level, fill—even tear out old sod. Produces perfect beds for seeding or sodding. Pulverizes dirt clods while keeping rocks and debris ahead of roller action. End plates can be attached to simulate a box blade.

**Some models require a 7-pin attachment control kit.*



Stump Grinder (5600 & 5610)

Carbide-tipped teeth and fingertip controls make tree stumps disappear fast.

Model SG60 has a 72-inch reach and 80° arc, allowing you to cut large stumps up to 45-inch diameter without repositioning. The work group is mounted at an angle of 90° for excellent visibility.

**Requires 7-pin attachment control kit.*



Trencher (5600 & 5610)

Versatile trenching ability.

Use a Bobcat trencher for a variety of jobs. Adjustable digging depth capability. Manual or hydraulic sideshift gets close to walls. Trench cleaner is standard equipment.

**See dealer for packages and configurations.*



Sprayer (5600)

Keep lawns looking their best. Melt snow in the winter.

The Bobcat sprayer is designed for chemical applications ranging from spot spraying for weed control to broadcast spraying of liquid fertilizer and chemicals. It's ready for small to moderate acreage spraying across a wide range of applications, including lawns, parks, pastures, road rights-of-way, golf courses and cemeteries. In the winter, use it with many of today's liquid ice-melting solutions to remove snow and ice. 40 and 80 gallon models available.



Sweeper (5600 & 5610)

Sweep clean, scrape mud going forward or reverse.

Ideal for construction, industrial or municipal jobs. Its reversible cutting edge helps cut caked-on mud, while the sweeper's poly bristles deposit dirt and debris in the container, which can be dumped when full. Optional gutter brush on the 60-inch model gets the dirt from curbs, along buildings and drainage depressions.



Water Kit

Spray the dust away.

Keep the dust under control when using Bobcat attachments such as the angle broom and sweeper.



Spreader (HB8) (5600 & 5610)

Spreader (Salt & Sand) (5600)

Spread it fast and easy!

Choose from electric or hydraulic drive to spread salt and sand for winter maintenance of parking lots, sidewalks, driveways and alleys. Electric drive model can also spread grass seed and fertilizer. Both models have variable spreading patterns.



Tiller (5600 & 5610)

A great landscaping attachment.

Ideal for breaking up clumps and mixing compost or other materials into existing soil. Features bi-directional rotation, a six-inch maximum depth, offset mounting and replaceable, hardened tines. Two widths available: 62- and 76-inches.



3-Point Adapter


Add the versatility of Category I and II implements.

Use Category I and II implements with your Toolcat 5600 – or combine complementary implements in the front and back of your 5610. The 3-point adapter mounts quickly via the Bob-Tach mounting system on the front of your Toolcat machine. Features an adjustable top link for extra versatility and a 2-inch receiver for towing trailers.

Bob-Tach Attachment Mounting System

One person can change attachments in less than a minute. With the standard Bob-Tach attachment mounting system, attachment hookup is quick and easy.

With the optional Power Bob-Tach system, you can change non-hydraulic attachments without leaving the comfort of your cab. Just line up the attachment and flip the switch.



Attachment Control Kit

The ultimate balance of control and simplicity: Command the attachment and make on-the-fly adjustments with a simple-to-operate joystick and effortless fingertip auxiliary control. Secondary attachment functions, like angle adjustments on the broom, blade or soil conditioner, are at your fingertips with the optional attachment control kit.



Tilt-Tatch Mounting System

Use the Tilt-Tatch accessory to rotate your attachment 15 degrees off center both left and right. Pair with a blade for one-pass grading or create simple drainage swales and slopes with a bucket.

Ship Weight	354 lb. (161 kg)
Operating Weight	320 lb. (145 kg)
Height	20.4 in. (518 mm)
Width	48 in. (1219 mm)
Length	4.3 in. (109 mm)
Oscillation	± 15°
Cylinders	1

*Requires front-end loader with Bob-Tach mounting system and front auxilliary kit.

NOTE – Where applicable, dimensions are in accordance with American Society of Agricultural and Biological Engineers (ASABE), Society of Automotive Engineers (SAE) and ISO standards. Specifications and design are subject to change without notice. Pictures of Bobcat units may show other than standard equipment. All dimensions are shown in inches. Respective metric dimensions are enclosed by parentheses. Bobcat Company complies with the requirements of ISO 9001 as registered with BSI



Printed on 10% recycled paper

Bobcat® and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries. ©2013 Bobcat Company. All Rights Reserved.



Bobcat®

Visit Bobcat.com/attachTC for more information

Bobcat Company • P.O. Box 6000 • West Fargo, ND 58078