

**ZT6100**



**Bobcat®**

*One Tough Animal.*

**IT'S ONE WORD:  
TOUGH**

**BRING TOUGH TO TURF**

# UNCOMPROMISING POWER

Built for any turf pro who demands as much from their machine as they put into their business. The ZT6100 has the power, speed and fuel capacity you need.



## ZT6100

MODEL NUMBER	9996012	9996013
<b>ENGINE</b>		
Model	Kaw FX850V	Kaw FX850 EFI
Displacement		52.0 cu. in. (852 cc)
Fuel Capacity		15.0 gal. (56.7 L)
Air Filter		Canister Air Filter
<b>ELECTRICAL</b>		
Charging System		15 amp
Clutch		225 lbf. (1000 N)
<b>DECK</b>		
Mower Deck		AirFX™ Cutting System
Leading Edge		Adjustable, Front Lip Standard
Width		61.0 in. (1549 mm)
Adjustable Anti-Scalp Rollers		6
Cutting Height		1.0-5.5 in. (25-139 mm)
Blade Tip Speed		18,500 fpm @ 3550 Engine rpm
Discharge Chute		Flexible Molded Polymer
<b>FRAME</b>		
Front & Rear	Welded, 0.25 in., 7-gauge Steel; 1.5 x 2.5 in. Steel Tubing	
Machine Length	83.0 in. (2108 mm)	
Machine Weight	1464 wet lb.	
<b>TRANSMISSION</b>		
Type	HG ZT-4400 Hydrostatic Transaxles	
Pump Displacement	0.7 cu. in. (12 cc)	
Oil Capacity	1.1 gal. (4.5 qt.) each	
Forward Speed	0-12.0 mph (0-19.3 km/hr.)	
Reverse Speed (mph)	0-4.0 mph (0-6.4 km/hr.)	
<b>WHEELS</b>		
Drive Wheel Size	24 x 12.0-12	
Front Caster Wheel Size	13 x 6.5-6	
Caster Arm Attachment	Bolt-On	
<b>SEAT</b>		
Description	High-Back, Full-Mechanical Suspension Seat	
Fore-Aft Adjustment	Seat Slide Lever	

2000  
HOURS

**BUMPER TO BUMPER**

WARRANTY



# YOU ARE ONE TOUGH ANIMAL.®

Everything we put into Bobcat equipment is designed to make more of whatever you bring to the job. Whether it's strength, versatility, speed or agility, it's built around you.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Where applicable, dimensions are in accordance with ISO standards. Specifications and design are subject to change without notice. Pictures of Bobcat units may show other than standard equipment. All dimensions are given for mini track loaders. All dimensions are shown in inches. Respective metric dimensions are enclosed by parentheses. Bobcat Company complies with the requirements of ISO 9001 as registered with BSI.

Bobcat®, the Bobcat logo and the colors of the Bobcat machine are registered trademarks of Bobcat Company in the United States and various other countries. ©2021 Bobcat Company. All rights reserved.



Printed on 10% recycled paper

**B-2002** (02/21)

**Bobcat Company**  
250 East Beaton Drive • West Fargo, ND 58078

**Bobcat.com**



**Bobcat**®

***One Tough Animal.***